



# **SERIES**

# → SP-710V

## TRAILER-MOUNTED SPEED SIGN

Ver-Mac's SP-710V PRO Series is a battery/solar-powered trailer-mounted speed sign, with 2-digit display. It features our Stealth Technology, V-Touch SP controller, JamLogic® Fleet Management Software and state-of-the-art doppler radar. Our speed sign is designed to display real-time speed information to the motoring public, reducing speeds and providing a safer environment. The SP-710V PRO Series is perfect to provide speed awareness to highway construction projects, school zones and urban areas.





## **V-TOUCH SP CONTROLLER**

## HANDHELD

Grab the controller into the sign case to safely change the speed parameters from the side of the trailer

#### EASY-TO-READ

 $3.75\,\mbox{in}$  (95 mm) pressure-sensitive black and white display screen with intuitive interface

## **INTUITIVE ICONS**

Quickly select speed parameters and blink option

## **BACKLIGHTED SCREEN**

Perfect for nighttime use

## REAL-TIME DISPLAY

View speed display, battery voltage level and other key elements

## STEALTH MODE

No speed is displayed, but data is collected\*

## OPTIONAL WARNING DEVICES

Easy to integrate flashing beacons, strobe lights, red and blue flashing bar and audible alarm

\*Requires data logger option



#### STEALTH TECHNOLOGY

#### **CLEVERLY HIDDEN BATTERY COMPARTMENT**

Deter thieves from stealing batteries

#### **LONG-LASTING SEALED BATTERIES**

No maintenance required

## **DOPPLER RADAR**

- Picks up average speed and vehicle count at up to 2000 ft
- Up to 2 lanes / directional
- No calibration necessary
- Integrated into the sign

## JAMLOGIC® FLEET MANAGEMENT SOFTWARE (OPTIONAL)

Equip the SP-710V PRO Series with a high speed modem with GPS to monitor and collect data with JamLogic automation. All the data is stored in the JamLogic software. Run your own reports monthly, weekly, daily or custom plus export them to excel. JamLogic allows you to have all the traffic data at your fingertips.

## **STATISTICS** (OPTIONAL)

This option allows you to collect average speed and number of vehicles approaching (directional). The data can be downloaded via a USB key at the trailer or remotely through JamLogic (modem option required).

#### **APPLICATIONS**

- · Law enforcement
- Speed awareness
- Smart work zones
- Traffic studies

#### POWER SUPPLY CONFIGURATION

#### **OPTI POWER LENS**

Designed to maximize each LED output and utilize less energy.

#### **SOLAR PANEL**

Provides maximum solar recharging during all four seasons.

 The standard battery/solar configuration is designed to run 12 months in most regions without manual charging

#### **HIGH-QUALITY CONSTRUCTION**

#### POWDER COATING SUPERIOR FINISH

Impact, humidity, salt spray and rust resistant

#### **4 ADJUSTABLE STABILIZER LEGS**

For stabilization and easy deployment and transportation

#### **TONGUE WHEEL JACK**

For easy and safe trailer set up

#### REMOVABLE TONGUE

Saves space for storage

#### **RUGGED ROD MAST BRAKE**

Safely rotate the speed sign to working position (up to 90 degrees)

#### MANUAL LIFT MECHANISM

For quick deployment

#### **HEAVY-DUTY PLASTIC FENDERS**

For durability and easy replacement

## 2-IN. (51 MM) COUPLER OR 3-IN. (76 MM) PINTLE EYE

For easy towing

## DISPLAY

- Speed display sign: 35 x 36 in. (885 x 914 mm)
- Display: 2 digits (mph)
- 18 in characters—visible up to 305 m (1000 ft)
- 4 LEDs per pixel
- Can accomodate 36 x 48 in. and 30 x 24 in. static signs - not included
- Bottom of static sign 7' above roadway
- Plug & play display modules for simplified maintenance

#### WARRANTY

- 1 year on complete trailer
- 2 years on electronic components manufactured by Ver-Mac

## **DIMENSIONS AND WEIGHTS**

- Operating length: 142 in. (3614 mm)
- Overall width: 70.37 in. (1787.52 mm)
- Operating height: 134 in. (3391 mm)
- Travelling height: 106.94 in. (2716.15 mm)
- Weight (approx.): 830 lb (376 kg)
- Traveling length: 133 in. (3367 mm)

## **OPTIONS**

- Battery charger
- Modem with GPS
- Data plan (requires modem)
- Statistics

Other options are available to meet your needs





